


AD-A266 194



FASTC-ID(RS)T-0959-92

# FOREIGN AEROSPACE SCIENCE AND TECHNOLOGY CENTER



DTIC  
ELECTE  
JUN 24 1993  
S C D

HIGH-PERFORMANCE NONLINEAR OPTICAL MATERIAL  
DEVELOPED IN JAPAN

by

Sheng Li



Approved for public release;  
Distribution unlimited.



93 6 23 14 8

# HUMAN TRANSLATION

FASTC-ID(RS)T-0959-92 25 May 1993

MICROFICHE NR: 93C000355

HIGH-PERFORMANCE NONLINEAR OPTICAL MATERIAL  
DEVELOPED IN JAPAN

By: Sheng Li

English pages: 2

Source: Unknown; pp. 3, Cols 2-4

Country of origin: China

Translated by: Leo Kanner Associates  
F33657-88-D-2188

Requester: FASTC/TATD/Bruce Armstrong

Approved for public release; Distribution unlimited.

Accession For	
NTIS CRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution /	
Availability Codes	
Dist	Avail and/or Special
A-1	

DTIC QUALITY INSPECTED

THIS TRANSLATION IS A RENDITION OF THE ORIGINAL FOREIGN TEXT WITHOUT ANY ANALYTICAL OR EDITORIAL COMMENT STATEMENTS OR THEORIES ADVOCATED OR IMPLIED ARE THOSE OF THE SOURCE AND DO NOT NECESSARILY REFLECT THE POSITION OR OPINION OF THE FOREIGN AEROSPACE SCIENCE AND TECHNOLOGY CENTER.

PREPARED BY:

TRANSLATION DIVISION  
FOREIGN AEROSPACE SCIENCE AND  
TECHNOLOGY CENTER  
WPAFB, OHIO

#### GRAPHICS DISCLAIMER

All figures, graphics, tables, equations, etc. merged into this translation were extracted from the best quality copy available.

## HIGH-PERFORMANCE NONLINEAR OPTICAL MATERIAL DEVELOPED IN JAPAN

Sheng Li

As reported by this newspaper based on an announcement by the Asahi Glass Corporation of Japan, the world's best performing nonlinear optical material was developed by the Asahi Corporation. The nonlinear optical three-dimensionality of this new material is 1000 times higher than any known material.

This new material is made by spreading fine particles of cuprous chloride (with semiconductor properties) onto a special glass. The fine cuprous chloride particles are only 5 to 10 nanometers in diameter. After the cuprous chloride particles are melted onto the special glass, they are subjected to heat treatment before cooling, thus producing uniform fine particles.

The valuable property of this optical material depends on the fact that its optical deflectivity is determined by laser radiation intensity. As a result, the nonlinear optical feature of this optical material is 1000 times higher than any organic glass (plastic) or materials (with near-semiconductor properties) with cadmium sulfide blended in as the basis.

The potential application of this new nonlinear optical material is to make superhigh-speed switching elements and components that can respond to the speed of light. Elements and

components made with this type of materials can be used in making optical computers.

DISTRIBUTION LIST

DISTRIBUTION DIRECT TO RECIPIENT

<u>ORGANIZATION</u>	<u>MICROFICHE</u>
B085 DIA/RIS-2FI	1
C509 BALLOCS09 BALLISTIC RES LAB	1
C510 R&T LABS/AVEADCOM	1
C513 ARRADCOM	1
C535 AVRADCOM/TSARCOM	1
C539 TRASANA	1
Q592 FSTC	4
Q619 MSIC REDSTONE	1
Q008 NTIC	1
Q043 AFMIC-IS	1
E051 HQ USAF/INET	1
E404 AEDC/DOF	1
E408 AFWL	1
E410 ASDTC/IN	1
E411 ASD/FTD/TTIA	1
E429 SD/IND	1
P005 DOE/ISA/DDI	1
P050 CIA/OCR/ADD/SD	2
1051 AFTT/LDE	1
P090 NSA/CDB	1
2206 FSL	1

Microfiche Nbr: FTD93C000355  
FTD-ID(RS)T-0959-92